

Hersteller	Produktname	Gerätetyp	Hardware											Betriebs-system									Software und Protokolle							Client-Management											
			Prozessor	Taktrate	Bildschirmauflösung max. bei Hz	RAM ab Werk in MByte	RAM max. in MByte	Flash ab Werk in MByte	Flash max. in MByte	USB-Ports	Parallele Ports	Serielle Ports	PCI-Slots	PCMCIA-Slots	Compact-Flash-Slots	DVI-Anschluss	Dual-Monitor-Support integriert	Quad-Monitor-Support integriert	Smart-Card-Reader integriert	Windows CE	Windows CE Dotnet	Windows XP Embedded	Linux	Sonstiges	Firefox-Version	Anderer Browser	ICA-Version	RDP-Version	X-Terminal		NX-Client	Tarantella-Client	Terminalmulation(en)	VPN-Client	Weitere Client-Software	Client-Management Software inbegriffen	Client-Management Software proprietär	Client-Management OS-übergreifend	Client-Management herstellübergreifend		
Chip PC	Xtreme PC EX6552NG	Desktop-Gerät	Alchemy/RMI Au 1550	1,2 GHz	1600x1200/60 Hz	128	64	3	1							●	●					6.x		9.x	5.2									●	●						
	Xtreme PC EX6560NG	Desktop-Gerät	Alchemy/RMI Au 1550	1,2 GHz	1600x1200/60 Hz	128	64	3	1							●	●					6.x		9.x	5.2									●	●						
	Xtreme PC EX6600NG	Desktop-Gerät	Alchemy/RMI Au 1550	1,2 GHz	1600x1200/75 Hz	128	64	4								●	●					6.x		9.x	5.2										●	●					
	Futro A 210	Desktop-Gerät	AMID LX 800	500 MHz	1600x1200/100 Hz	128	128	3	1							●	●					6.0	6.0	9.x	5.2	9.x	5.2								●	●					
Fujitsu Siemens	Futro A 220	Desktop-Gerät	AMID LX 800	500 MHz	1600x1200/100 Hz	128	128	3	1						●	●						6.0	6.0	9.x	5.2	9.x	5.2								●	●					
	Futro A 230	Desktop-Gerät	AMID LX 800	500 MHz	1600x1200/100 Hz	128	128	3	1						●	●						6.0	6.0	9.x	5.2	9.x	5.2								●	●					
	Futro A 240	Desktop-Gerät	AMID LX 800	500 MHz	1600x1200/100 Hz	128	128	3	1						●	●						6.0	6.0	9.x	5.2	9.x	5.2								●	●					
	Futro S 400	Desktop-Gerät	AMID NX 1500	1 GHz	1600x1200/85 Hz	256	1024	4	1	1					●	●						6.0	6.0	9.x	5.2	9.x	5.2							*	●	●					
	HP Compaq T5425	Desktop-Gerät	VIA Eden	400 MHz	1280x1024	128	32	4	1	1						●	●																		●	●					
	HP Compaq T5725	Desktop-Gerät	AMID Geode NX 1500	1 GHz	1600x1200	256	1024	6	1	1						●	●																		●	●					
Igel	Igel-1110 Legacy	Desktop-Gerät	VIA Eden	400 MHz	1600x1200/85 Hz	256	1000	4	1						●	●																				●	●				
	Igel-2110 CE Smart	Desktop-Gerät	VIA Eden	400 MHz	1280x1024/85 Hz	256	1000	4	1						●	●											9.0	5.5								●	●				
	Igel-2110 LX Smart	Desktop-Gerät	VIA Eden	400 MHz	1600x1200/85 Hz	256	1000	4	1						●	●											9.16	5.1								●	●				
	Igel-2510 XP Smart	Desktop-Gerät	VIA Eden	400 MHz	1600x1200/85 Hz	256	1000	4	1						●	●							6.0		9.0	5.5	9.0	5.5									●	●			
	Igel-3200 CE Compact	Desktop-Gerät	VIA Eden	533 MHz	1280x1024	128	1024	2	2	1						●	●										6.0	5.5									●	●			
	Igel-3210 LX Compact	Desktop-Gerät	VIA Eden	600 MHz	1280x1024/85 Hz	256	1000	3	1	1						●	●										6.0	5.5									●	●			
	Igel-3200 LX Compact	Desktop-Gerät	VIA Eden	533 MHz	1600x1200	128	1024	3	2	1						●	●										9.0	5.1									●	●			
	Igel-3600 XP Compact	Desktop-Gerät	VIA Eden	600 MHz	1600x1200/85 Hz	256	1000	3	1	1						●	●										6.0	5.1									●	●			
	Igel-3610 XP Compact	Desktop-Gerät	VIA Eden	600 MHz	1600x1200/85 Hz	256	1024	3	1	1						●	●										6.0	5.5									●	●			
	Igel-4200 LX Winestra	Desktop-Gerät	VIA C3LP	800 MHz	1600x1200	128	1024	4	1	2	1					●	●										1.x	9.0	5.1									●	●		
	Igel-4210 CE Winestra	Desktop-Gerät	VIA Eden	1 GHz	1280x1024/85 Hz	256	1000	4	2	1						●	●										6.0	5.5									●	●			
	Igel-4210 LX Winestra	Desktop-Gerät	VIA Eden	1 GHz	1600x1200/85 Hz	256	1000	4	2	1						●	●										1.5	9.16	5.1									●	●		
	Igel-4610 XP Winestra	Desktop-Gerät	VIA Eden	1 GHz	1600x1200/85 Hz	256	1000	4	2	1						●	●										6.0	5.5									●	●			
	Igel-5110 X-term	Desktop-Gerät	VIA Eden	1,3 GHz	1600x1200/85 Hz	256	1000	4	1	2	1	1				●	●										9.0	5.5									●	●			
	Igel-5200 LX Premium	Desktop-Gerät	VIA C3	1 GHz	1600x1200	128	1024	4	2	1						●	●										1.x	9.0	5.1									●	●		
	Igel-5210 LX Premium	Desktop-Gerät	VIA Eden	1,3 GHz	1600x1200/85 Hz	256	1000	4	2	1						●	●										1.5	9.16	5.1								●	●			
	Igel-5310 LX Premium	Desktop-Gerät	VIA Eden	1,3 GHz	1600x1200/85 Hz	256	1000	4	2	1						●	●										1.5	9.16	5.1								●	●			
	Igel-5600 XP Premium	Desktop-Gerät	VIA C3	1 GHz	1600x1200/85 Hz	256	1024	4	1	2	1					●	●										6.0	5.1									●	●			
	Igel-5610 XP Premium	Desktop-Gerät	VIA Eden	1,3 GHz	1600x1200/85 Hz	256	1000	4	2	1						●	●										6.0	5.5									●	●			
	Igel-7302 LX Panaveo	Desktop-Gerät	Intel Celeron M	1 GHz	2048x1536	256	1000	4	2	1						●	●										6.0	5.1									●	●			
	Igel-7304 LX Panaveo	Desktop-Gerät	Intel Celeron M	1 GHz	1920x1440	1000	1000	4	1	2	1					●	●										1.5	9.16	5.1								●	●			
Igel-7602 XP Panaveo	Desktop-Gerät	Intel Celeron M	1 GHz	2048x1536	256	1000	4	1	2	1					●	●										6.0	5.5									●	●				
Igel-7604 XP Panaveo	Desktop-Gerät	Intel Celeron M	1 GHz	1600x1200	256	1000	4	1	2	1					●	●										6.0	5.5									●	●				
Igel-8600 XP Proscribe	Desktop-Gerät	VIA Eden	1 GHz	1024x768	256	1000	2	1	1						●	●										6.0	5.5									●	●				
Igel-9317 LX Elegance	Desktop-Gerät	VIA Eden	1 GHz	1280x1024	256	1000	4	1	2	1					●	●										1.5	9.16	5.1								●	●				
Igel-9617 XP Elegance	Desktop-Gerät	VIA Eden	1 GHz	1280x1024	256	1000	4	1	2	1					●	●										6.0	5.5									●	●				
Kontron	Micro Clients	Desktop-Gerät	Celeron M	600 MHz	1024x768	1024	1000	2	1	1					●	●																					●	●			
		Desktop-Gerät													●	●																					●	●			
		Desktop-Gerät													●	●																						●	●		
		Desktop-Gerät													●	●																							●	●	
		Desktop-Gerät													●	●																							●	●	

Anbieter: Thin Clients

Hersteller/Anbieter	Telefon	Produkt	Preis (€)
Affirmative	06724/9304-0	2221 Yestation E	k.A.
		2222 Yestation Mini	k.A.
		2225 Yestation Mini	k.A.
		2231 Yestation E HP (High Performance)	k.A.
		2232 Yestation Mini HP	k.A.
		2235 Yestation Mini HP	k.A.
		2237 Yestation Mini HP	k.A.
		2721 Yestation E Maxi	k.A.
		2722 Yestation Maxi II	k.A.
		2725 Yestation Maxi II	k.A.
		2727 Yestation Maxi II	k.A.
		2732 Yestation HP	k.A.
		2735 Yestation HP	k.A.
		2737 Yestation HP	k.A.
		7672 All in One	k.A.
		7677 All in One	k.A.
		Yestablet	k.A.
Chip PC	0201/185099-0	Jack PC EFI6700	299
		Jack PC EFI6800	399
		Jack PC EFI6900	449
		Xtreme PC EX6000NG	299
		Xtreme PC EX6050NG	279
		Xtreme PC EX6052NG	369
		Xtreme PC EX6400NG	359
		Xtreme PC EX6450NG	379
		Xtreme PC EX6452NG	419
		Xtreme PC EX6460NG	499
		Xtreme PC EX6462NG	549
		Xtreme PC EX6500NG	339
		Xtreme PC EX6552NG	439
		Xtreme PC EX6560NG	495
		Xtreme PC EX6600NG	599
Fujitsu Siemens	01805/372325	Futro A 210	ab 214
Fujitsu Siemens/Capcad	089/991522-0	Futro A 210	316
Fujitsu Siemens	01805/372325	Futro A 220	ab 214
Fujitsu Siemens/Capcad	089/991522-0	Futro A 220	349
Fujitsu Siemens	01805/372325	Futro A 230	ab 214
Fujitsu Siemens/Capcad	089/991522-0	Futro A 230	380
Fujitsu Siemens	01805/372325	Futro A 240	ab 214
		Futro S 400	ab 359
Fujitsu Siemens/Capcad	089/991522-0	Futro S 400	366
Hewlett-Packard	01805/665775	HP Compaq T5125	209
		HP Compaq T5725	ab 335
Igel	0421/1769240	Igel-1110 Legacy	249
		Igel-2110 CE Smart	249
Igel/CRG	0421/79282926	Igel-2110 CE Smart	229
Igel	0421/1769240	Igel-2110 LX Smart	249
Igel/CRG	0421/79282926	Igel-2110 LX Smart	229
Igel	0421/1769240	Igel-2510 XP Smart	379
Igel/CRG	0421/79282926	Igel-3200 CE Compact	349
Igel	0421/1769240	Igel-3210 CE Compact	359
Igel/CRG	0421/79282926	Igel-3200 LX Compact	359
Igel	0421/1769240	Igel-3210 LX Compact	369
Igel/CRG	0421/79282926	Igel-3600 XP Compact	459
Igel	0421/1769240	Igel-3610 XP Compact	469
Igel/CRG	0421/79282926	Igel-4200 LX Winestra	439
Igel	0421/1769240	Igel-4210 CE Winestra	429
		Igel-4210 LX Winestra	439
		Igel-4610 XP Winestra	549
		Igel-5110 X-Term	539
Igel/CRG	0421/79282926	Igel-5200 LX Premium	539
Igel	0421/1769240	Igel-5210 LX Premium	539
		Igel-5310 LX Premium	569
Igel/CRG	0421/79282926	Igel-5600 XP Premium	599
Igel	0421/1769240	Igel-5610 XP Premium	599
		Igel-7302 LX Panaveo	849
		Igel-7304 LX Panaveo	1349
		Igel-7602 XP Panaveo	949
		Igel-7604 XP Panaveo	1449

Hersteller/Anbieter	Telefon	Produkt	Preis (€)
Igel	0421/1769240	Igel-8600 XP Proscribe	1349
		Igel-9317 LX Elegance	829
Igel/CRG	0421/79282926	Igel-9317 LX Elegance	829
Igel	0421/1769240	Igel-9617 XP Elegance	929
Igel/CRG	0421/79282926	Igel-9617 XP Elegance	929
Kontron	09461/950-196	Micro Clients	k.A.
Levigo	07031/4161-466	LTC 842 D	415
		LTC 1032 D	445
Linware	0241/9976775	Linthin Light PL	k.A.
		Linthin Light SL	289
		Linthin Premium PL	k.A.
		Linthin Premium SL	549
		Linthin Standard PL	k.A.
		Linthin Standard SL	399
		Linthin TFT plus	990
		Linthin Ultralight III	199
		Linthin Web PL	k.A.
		Linthin Web SL	409
Ncomputing	02404/67-3909	L 120	199
		L 200	219
		X 300-TC	k.A.
Rangee	0241/9972850	R-LT1000-L	264
Rangee/Gedak	02152/143465	R-LT1000-L	264
Rangee	0241/9972850	R-TK3370-L	364
Rangee/Gedak	02152/143465	R-TK3370-L	364
Rangee	0241/9972850	S-LT1000-L	284
Rangee/Gedak	02152/143465	S-LT1000-L	284
Rangee	0241/9972850	S-TK3370-L	388
Rangee/Gedak	02152/143465	S-TK3370-L	388
Rangee	0241/9972850	TFT-TK5377-L	899
Rangee/Gedak	02152/143465	TFT-TK5377-L	899
Rangee	0241/9972850	TFT-TK5379-L	949
Rangee/Gedak	02152/143465	TFT-TK5379-L	949
Rangee	0241/9972850	X-LT1000-L	339
Rangee/Gedak	02152/143465	X-LT1000-L	339
Rangee	0241/9972850	X-TK3370-C	446
Rangee/Gedak	02152/143465	X-TK3370-C	446
Rangee	0241/9972850	X-TK3370-L	446
Rangee/Gedak	02152/143465	X-TK3370-L	446
Rangee	0241/9972850	X-TK3370-X	615
Rangee/Gedak	02152/143465	X-TK3370-X	615
Sun	089/46008-2711	Sun Ray 2	230
		Sun Ray 2 FS	460
		Sun Ray 270	800
Termtek/Miller	09153/92269-40	TK-3550	279
		TK-3750	ab 349
Thincco	06257/991390	Tisio 96 CE	223
		Tisio 96 LX	206
		Tisio 96 XP	352
		Tisio 300 CE	680
		Tisio 300 LX	663
		Tisio 300 XP	829
Thinner/IIIE	02234/98201-0	Formula-CE	k.A.
		Magus-LXr	k.A.
		Magus-XPe	k.A.
		Vallis-CE	k.A.
VXL/Sphinx	06201/75437	Itona TC4321-XP	290
		Itona TC4333-LI	215
		Itona TC4341-CE	215
		Itona TI5421-XP	725
		Itona TI5433-LI	648
		Itona TI5441-CE	642
Wyse	089/460099-30	G 90	k.A.
		S 10	278
Wyse/CRG	0421/79282926	S 10	266
Wyse	089/460099-30	S 30	309
		S 50	284
		S 90	472
		V 30	429
		V 30 Dual Video	k.A.
		V 50	411
		V 50 Dual Video	k.A.
		V 90	533
		V 90 Dual Video	k.A.
		V 00	441
		VR 0	834